

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L1 | 437024 | transceiver or (transmitter and receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:12 |
| L2 | 12659 | (switch\$3 or select\$3 or multiplex\$3 or multiples\$3) same (quadrature or ((I or in\$1phase) with (Q or quadrature\$1phase or (quadrature adj phase)))) same (transmitter or receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:26 |
| L3 | 7797 | 1 and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:19 |
| L4 | 17578 | (feedback or fedback or (feed adj back)) with (transmitter or receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:23 |
| L5 | 45078 | ((phase or gain or frequency) near5 control\$4) with (transmitter or receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:24 |
| L6 | 663 | 3 and 4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:24 |
| L7 | 2143 | 3 and 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:24 |
| L8 | 4703 | (switch\$3 or select\$3 or multiplex\$3 or multiples\$3) with (quadrature or ((I or in\$1phase) with (Q or quadrature\$1phase or (quadrature adj phase)))) same (transmitter or receiver) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:27 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| L9 | 260 | 6 and 8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:27 |
| L10 | 875 | 7 and 8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:27 |
| L11 | 10534 | (375/219 or 375/221 or 375/259 or 375/279 or 375/281 or 375/284 or 375/296 or 375/297 or 375/308 or 332/103 or 455/24 or 455/69 or 455/76 or 455/78 or 455/82 or 455/83 or 455/88).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:31 |
| L12 | 118 | 2 and 4 and 11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:31 |
| L13 | 194 | 2 and 5 and 11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/28 15:32 |

EAST Search History

| | | | | | |
|-----|-----|---|-----------------------|-----|------------------|
| L14 | 148 | ((("4246440") or ("4323731") or ("5483292") or ("5534933") or ("5603110") or ("4271527") or ("4461011") or ("5448299") or ("5497205") or ("6005894") or ("4406009") or ("4510614") or ("4602274") or ("4602380") or ("5510845") or ("5555024") or ("4262360") or ("4309770") or ("4322842") or ("4355214") or ("4410764") or ("4500856") or ("4602381") or ("4760354") or ("4879514") or ("5177611") or ("5241566") or ("5387939") or ("5526158") or ("5801790") or ("5995539") or ("6211663") or ("6211663") or ("3906347") or ("3896436") or ("3825834") or ("3813598") or ("3793589") or ("4028626") or ("4086536") or ("4088948") or ("4092596") or ("4245320") or ("4281412") or ("4358853") or ("4387375") or ("4422175") or ("4455663") or ("4464791") or ("4480327") or ("4520476") or ("4525835") or ("4593402") or ("4760398") or ("4761798") or ("4769841") or ("4802191") or ("4817151") or ("4882614") or ("4910798") or ("4944032") or ("4947453") or ("4952940") or ("4972192") or ("4984219") or ("5033110") or ("5185609") or ("5222250") or ("5241687") or ("5243304") or ("5249204") or ("5293382") or ("5357284") or ("5450044") or ("5469127") or ("5469475") or ("5606578") or ("5689440") or ("5689356") or ("5694433") or ("5699383") or ("5706057") or ("5732333") or ("5794131") or ("5802461") or ("5835532") or ("5838734") or ("5881107") or ("5903609") or ("5923223") or ("5966055") or ("6032028") or ("6057731") or ("6057877") or ("6072616") or ("6111543") or ("6133802") or ("6133804") or ("6137359") or ("6140822") or ("RE36992") or ("RE36992") or ("6259253") or ("6263017") or ("6351500") or ("6373883") or ("6433835") or ("6532256") or ("6618096") or ("6653909") or ("6658065") or ("6717981") or ("6735264") or ("6766148") or ("6771709") or ("6826237") or ("6850740") or ("6861547") or | US-PGPUB; OR USPAT | OFF | 2007/04/28 15:33 |
|-----|-----|---|-----------------------|-----|------------------|

Day : Saturday
Date: 4/28/2007

PALM INTRANET

Time: 15:06:56

Inventor Name Search Result

Your Search was:

Last Name = MOHINDRA

First Name = RISHI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|---|-----------------|
| <u>08062880</u> | Not Issued | 161 | 05/17/1993 | ARRANGEMENT FOR ESTIMATING DATA FROM A NOISY DIGITAL DATA SIGNAL AND RECEIVER COMPRISNG SUCH AN ARRANGEMENT | MOHINDRA, RISHI |
| <u>08133546</u> | <u>5438692</u> | 150 | 10/07/1993 | DIRECT CONVERSION RECEIVER | MOHINDRA, RISHI |
| <u>08148105</u> | Not Issued | 166 | 11/03/1993 | DIRECT CONVERSION RECEIVER | MOHINDRA, RISHI |
| <u>08520330</u> | <u>5584068</u> | 150 | 08/28/1995 | DIRECT CONVERSION RECEIVER | MOHINDRA, RISHI |
| <u>08668114</u> | <u>6621879</u> | 150 | 06/21/1996 | DIGITAL RADIO SYSTEM, A DIGITAL RADIO DEVICE, AND A QUADRATURE DEMODULATOR | MOHINDRA, RISHI |
| <u>09107184</u> | <u>6137353</u> | 250 | 06/29/1998 | LINEARIZED INTEGRATED FM DEMODULATOR USING A PLURALITY OF CASCADED ALL-PASS FILTERS OR A BESSEL FILTER | MOHINDRA, RISHI |
| <u>09107186</u> | <u>6314279</u> | 250 | 06/29/1998 | FREQUENCY OFFSET IMAGE REJECTION | MOHINDRA, RISHI |
| <u>09107635</u> | <u>6148047</u> | 150 | 06/30/1998 | DC OFFSET COMPENSATION FOR ZERO IF QUADRATURE DEMODULATOR | MOHINDRA, RISHI |
| <u>09216260</u> | <u>6366604</u> | 150 | 12/18/1998 | COMPENSATION FOR PHASE ERRORS CAUSED BY CLOCK JITTER IN A CDMA COMMUNICATION SYSTEM | MOHINDRA, RISHI |
| <u>09275368</u> | <u>6169463</u> | 150 | 03/24/1999 | QUADRATURE MODULATOR WITH SET-AND-FORGET CARRIER LEAKAGE | MOHINDRA, RISHI |

| | | | | | |
|-----------------|----------------|-----|------------|---|-----------------|
| | | | | COMPENSATION | |
| <u>09389179</u> | <u>6922555</u> | 150 | 09/02/1999 | PHASE INTERPOLATION RECEIVER FOR ANGLE MODULATED RF SIGNALS | MOHINDRA, RISHI |
| <u>09460929</u> | <u>6717981</u> | 150 | 12/14/1999 | TRANSMITTER IMAGES SUPPRESSION IN TDD TRANSCEIVERS | MOHINDRA, RISHI |
| <u>09469322</u> | <u>6678312</u> | 150 | 12/22/1999 | METHOD FOR EXTENDING DIGITAL RECEIVER SENSITIVITY USING ANALOG CORRELATION | MOHINDRA, RISHI |
| <u>09469330</u> | <u>6721548</u> | 150 | 12/22/1999 | HIGH DYNAMIC RANGE LOW RIPPLE RSSI FOR ZERO-IF OR LOW-IF RECEIVERS | MOHINDRA, RISHI |
| <u>09469880</u> | <u>6442380</u> | 150 | 12/22/1999 | AUTOMATIC GAIN CONTROL IN A ZERO INTERMEDIATE FREQUENCY RADIO DEVICE | MOHINDRA, RISHI |
| <u>09469887</u> | <u>7130595</u> | 150 | 12/22/1999 | TRANSMITTER POWER AMPLIFIER RAMPING METHOD | MOHINDRA, RISHI |
| <u>09531944</u> | <u>6625424</u> | 150 | 03/21/2000 | AUTOCALIBRATION OF A TRANSCEIVER THROUGH NULLING OF A DC-VOLTAGE IN A RECEIVER AND INJECTING OF DC-SIGNALS IN A TRANSMITTER | MOHINDRA, RISHI |
| <u>09532819</u> | <u>6766148</u> | 150 | 03/21/2000 | SWITCHED SIDEBAND FREQUENCY LOW-IF TRANSMITTER | MOHINDRA, RISHI |
| <u>09665925</u> | Not Issued | 161 | 09/20/2000 | Calibration of a transmit branch and/or a receive branch of a quadrature transmitter and/or transceiver | MOHINDRA, RISHI |
| <u>09668014</u> | <u>6744829</u> | 150 | 09/21/2000 | CALIBRATION OF A QUADRATURE RECEIVER | MOHINDRA, RISHI |
| <u>09927762</u> | Not Issued | 161 | 08/10/2001 | Quadrature gain and phase imbalance correction in a receiver | MOHINDRA, RISHI |
| <u>10235222</u> | <u>7110734</u> | 150 | 09/05/2002 | DC OFFSET CANCELLATION IN A ZERO IF RECEIVER | MOHINDRA, RISHI |
| <u>10285151</u> | <u>7035341</u> | 150 | 11/01/2002 | QUADRATURE GAIN AND PHASE IMBALANCE CORRECTION IN A RECEIVER | MOHINDRA, RISHI |
| <u>10365309</u> | Not | 71 | 02/12/2003 | Quadrature gain and phase | MOHINDRA, RISHI |

| | | | | | |
|--------------------------|------------|-----|------------|--|-----------------|
| | Issued | | | imbalance correction in a receiver | |
| 10774163 | Not Issued | 41 | 02/06/2004 | Simplified transmitter quadrature imbalance calibration for loop-back based receiver imbalance calibration | MOHINDRA, RISHI |
| 10780471 | Not Issued | 41 | 02/17/2004 | High dynamic range low ripple RSSI for zero-IF or low-IF receivers | MOHINDRA, RISHI |
| 10781003 | Not Issued | 30 | 02/18/2004 | Transmitter image suppression in TDD transceivers | MOHINDRA, RISHI |
| 10988362 | Not Issued | 30 | 11/12/2004 | Serial digital interface for wireless network radios and baseband integrated circuits | MOHINDRA, RISHI |
| 11144430 | Not Issued | 30 | 06/03/2005 | DC cancellation in zero-IF receivers | MOHINDRA, RISHI |
| 11454089 | Not Issued | 25 | 06/14/2006 | DC offset cancellation in a zero IF receiver | MOHINDRA, RISHI |
| 11536312 | Not Issued | 19 | 09/28/2006 | TRANSMITTER POWER AMPLIFIER RAMPING METHOD | MOHINDRA, RISHI |
| 60084415 | Not Issued | 159 | 05/06/1998 | DC OFFSET COMPENSATION FOR ZERO IF QUADRATURE DEMODULATOR | MOHINDRA, RISHI |
| 60556312 | Not Issued | 159 | 03/24/2004 | Sigma-delta A/D and sigma-delta digital interface for wireless lan radio and baseband integrated circuits | MOHINDRA, RISHI |

Inventor Search Completed: No Records to Display.

| | | | |
|---------------------------------|---------------------------------------|------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | <input type="button" value="Search"/> |
| | <input type="text" value="MOHINDRA"/> | <input type="text" value="RISHI"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)